

Cortes 48v

Code : DT. Recess track

CE IP20 CRI>90 ³SDCM

Description

48v DC DALI addressable deep recessed trimless track. Contemporary look. suitable for all Cortes 48v fixtures.

Materials Die Cast Aluminium

Colour finish BLACK RAL9017, custom RAL to order

Dimensions (mm) 55 (h) x 37 dia.


Weight (KG) 1 per m

Dimming 0-10v or DALI, Casambi  allows dimming control of each fixture (remote)

Special Notes

Suitable for 9mm plasterboard plus 3mm skim layer

Available in 1m, 2m lengths Accessories See technical / safety instructions p.2-3



t. 01908 613256


sales@detaillighting.co.uk

www.detaillighting.co.uk


All products produced in accordance to EN60598

Detail | lighting Cortes 48v DT. Recess track

USE 9MM PLASTERBOARD ONLY



USE 9MM PLASTERBOARD ONLY



Accessories



Feeder 4-wires **TLV-RN131 DA**




connector **TLV-JM-IC-B**




End-cap **TLV-RN132-B**




Fixed L connector **TLV-JM-LC-B**



Fixed 90deg. Bracket horizontal
TLV-RN135F



Fixed 90deg. Bracket Vertical
TLV-RN135S



ON/OFF 48v Driver
select 60w or 100w

CAN ONLY BE DIMMED BY DALI OR 0-10V

